

Ultra Rail





The Ultimate Value in Rooftop Solar



Industry leading Wire Management Solutions



Mounts available for all roof types



Single Tool Installation



All SnapNrack Module Clamps & Accessories are compatible with both raiil profiles

Start Installing Ultra Rail Today

RESOURCES
DESIGN
WHERE TO BUY

snapnrack.com/resources snapnrack.com/configurator snapnrack.com/where-to-buy


SnapNrack Ultra Rail System

A sleek, straightforward rail solution for mounting solar modules on all roof types. Ultra Rail features two rail profiles; UR-40 is a lightweight rail profile that is suitable for most geographic regions and maintains all the great features of SnapNrack rail, while UR-60 is a heavier duty rail profile that provides a larger rail channel and increased span capabilities. Both are compatible with all existing mounts, module clamps, and accessories for ease of install.

The Entire System is a Snap to Install

- New Ultra Rail Mounts include snap-in brackets for attaching rail
- Compatible with all the SnapNrack Mid Clamps and End Clamps customers love
- Universal End Clamps and snap-in End Caps provide a clean look to the array edge





Unparalleled Wire Management

- Open rail channel provides room for running wires resulting in a long-lasting quality install
- Industry best wire management offering includes Junction Boxes, Universal Wire Clamps, MLPE Attachment Kits, and Conduit Clamps
- System is fully bonded and listed to UL 2703 Standard

Heavy Duty UR-60 Rail

- UR-60 rail profile provides increased span capabilities for high wind speeds and snow loads
- Taller, stronger rail profile includes profilespecific rail splice and end cap
- All existing mounts, module clamps, and accessories are retained for the same great install experience



Quality. Innovative. Superior.

SnapNrack Solar Mounting Solutions are engineered to optimize material use and labor resources and improve overall installation quality and safety.



SunModo's best-selling EZ Roof Mount is the industry standard for PV system mounting on any composite shingle roof.

Now, SunModo introduces a smaller footprint, EZR Roof Mount flashing, where truss anchoring can be assured, embossed design minimizes bending, and only one tool is needed.

The EZ & EZR Advantage

- ✓ Leak-proof design protects sealing points from elements.
- ✓ ICC Certified for both rafter and decking solution.
- Exceptional resistance to corrosion and wear.
- ✓ A wide variety of L-feet and standoffs available.
- ✓ Surprisingly easy to install!



MODEL

Raised teardrop design diverts water from the roof penetration.

360-degree L foot positioning, serrated L foot on both sides for rail mounting.

A wide variety of L-feet and standoffs available.

Versatile mounting option includes direct-todecking for easy installation.

Stamped emboss features stiffen the flashing to minimize bending.

Only one tool is needed.



Technical Data

Application	Composite shingle
Material	High grade aluminum, 304 stainless steel hardware
Finish	Clear anodized, silver or black powder coated
Flashing Size	EZ Roof Mount: 10.00 x 12.48 x 0.04 inches EZR Roof Mount: 8.00 x 11.38 x 0.03 inches
Roof Attachment	EZ Roof Mount: Rafter and decking EZR Roof Mount: Rafter only
Structural Integrity	IBC and IRC compliant
Warranty	20 years